



Certificate of Analysis

Page | 1

P.O.L.

License: Personal use

Unit Size: 1 bottle 60 ml

Sample Received: 01/30/2024

Report Created: 02/08/2024

Sample: CALM Full Spectrum Organic CBD Oil 1200 mg

Sample Description: Organic Oil Blend

| Total THC mg/ Unit* | Total CBD mg/ Unit* | Total Cannabinoids mg/ Unit |
|------------------------|------------------------|-----------------------------------|
| <LOQ | 1554.98 | 1693.26 |

| Cannabinoid | LOQ % | mg/ml | mg/unit |
|--------------------|-------|--------|---------|
| CBD | 0.001 | 25.916 | 1554.98 |
| CBG | 0.001 | 0.265 | 15.90 |
| CBDV | 0.001 | 0.137 | 8.21 |
| CBD Acid | 0.001 | 0.132 | 7.94 |
| CBG Acid | 0.001 | <LOQ | <LOQ |
| THCV Acid | 0.001 | <LOQ | <LOQ |
| THC-Acid | 0.001 | <LOQ | <LOQ |
| Δ^9 -THC | 0.001 | 1.251 | 75.07 |
| CBD Acid | 0.001 | <LOQ | <LOQ |
| CBC | 0.001 | 0.306 | 18.38 |
| CBDV Acid | 0.001 | <LOQ | <LOQ |
| CBL | 0.001 | <LOQ | <LOQ |
| CBN | 0.001 | 0.213 | 12.78 |
| CBN Acid | 0.001 | <LOQ | <LOQ |
| THCV | 0.001 | <LOQ | <LOQ |
| Δ^{10} -THC | 0.001 | <LOQ | <LOQ |
| Δ^8 -THC | 0.001 | <LOQ | <LOQ |

Method: HPLC-DAD. LOQ = Limit of Quantitation. Density of Oil Blend: 0.90 g/ml. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ***When reporting totals, acidic cannabinoids are multiplied by 0.877 to account for loss of mass from decarboxylation upon heating; therefore, this is the POTENTIAL amount upon complete decarboxylation from smoking/ vaping.**

PURA ANALYTICAL LABS

Pura Analytical Labs Inc.

Unit 1, 2984 Boys Road, DUNCAN, BC

(250) 929-2002 <https://www.puralabs.ca>

Health Canada Lic # LIC-LEHSCQIYN-2022

Denise Johnson
Head of Laboratory

This product has been tested by Pura Analytical Laboratories using valid testing methodologies and a quality system as required by Federal law. Values reported relate only to the product tested. Pura Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Pura Analytical Laboratories. Results are representative of the sample submitted by the client on the stated date.

P.O.L.

License: Personal use

Unit Size: 1 bottle 60 ml

Sample Received: 01/30/2024

Report Created: 02/22/2024

Sample: CALM Full Spectrum Organic CBD Oil 1200 mg**Sample Description:** Organic Oil Blend

MICROBIALS

| Microbial Parameters | Permissible Limit | LOQ/ LOD | Results | Status |
|------------------------|-------------------|----------|---------|--------|
| | CFU/g | CFU/g | CFU/g | |
| Total Aerobic Bacteria | 1000 | 10 | ND | PASS |
| Total Yeast/ Mold | 100 | 10 | ND | PASS |
| E. coli | Absent in 1ml | 1 | ND | PASS |
| | | | | |

Method: Petrifilm Plate method for enumerations; Quantitative PCR for presence/ absence assays. Criteria: Eur. Ph. 5.1.4. Oral Use Limits. Absence of E. coli in 1g or 1 ml.

LOQ = Limit of Quantitation; CFU = Colony Forming Units. The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

PURA ANALYTICAL LABS

Pura Analytical Labs Inc.**Unit 1, 2984 Boys Road, DUNCAN, BC****(250) 929-2002 <https://www.puralabs.ca>****Health Canada Lic # LIC-LEHSCQIYN-2022**

Denise Johnson
Head of Laboratory

This product has been tested by Pura Analytical Laboratories using valid testing methodologies and a quality system as required by Federal law. Values reported relate only to the product tested. Pura Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Pura Analytical Laboratories. Results are representative of the sample submitted by the client on the stated date.

P.O.L.

License: Personal use

Unit Size: 1 bottle 60 ml

Sample Received: 01/30/2024

Report Created: 02/22/2024

Sample: CALM Full Spectrum Organic CBD Oil 1200 mg**Sample Description:** Organic Oil Blend

HEAVY METALS

| Analyte | Permissible Limit | LOQ | Results | Status |
|---------|-------------------|--------|---------|--------|
| | ppm | ppm | ppm | |
| Arsenic | 1.5 | 0.0001 | <LOQ | PASS |
| Cadmium | 0.5 | 0.0001 | <LOQ | PASS |
| Lead | 0.5 | 0.0001 | <LOQ | PASS |
| Mercury | 3.0 | 0.0001 | 0.0071 | PASS |

Method: ICP-MS. Criteria: ICH guideline Q3D (R1) on elemental impurities Table A.2.2: Oral Use Limits. PPM = Parts per Million; LOQ = Limit of Quantitation; LOD = Limit of Detection. The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

PURA ANALYTICAL LABS

Pura Analytical Labs Inc.
Unit 1, 2984 Boys Road, DUNCAN, BC
(250) 929-2002 <https://www.puralabs.ca>
Health Canada Lic # LIC-LEHSCQIYN-2022



Denise Johnson
Head of Laboratory

This product has been tested by Pura Analytical Laboratories using valid testing methodologies and a quality system as required by Federal law. Values reported relate only to the product tested. Pura Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Pura Analytical Laboratories. Results are representative of the sample submitted by the client on the stated date.

P.O.L.

License: Personal use

Unit Size: 1 bottle 60 ml

Sample Received: 01/30/2024

Report Created: 02/22/2024

Sample: CALM Full Spectrum Organic CBD Oil 1200 mg
Sample Description: Organic Oil Blend

PESTICIDES

| Analyte | Permissible Limit | LOQ | Results | Status | Analyte | Permissible Limit | LOQ | Results | Status |
|---------------------|-------------------|------|---------|--------|--------------------|-------------------|------|---------|--------|
| | ppm | ppm | ppm | | | ppm | ppm | ppm | |
| Abamectin | 0.25 | 0.25 | <LOQ | PASS | Cyprodinil | 0.25 | 0.25 | <LOQ | PASS |
| Acephate | 0.05 | 0.05 | <LOQ | PASS | Daminozide | 0.10 | 0.10 | <LOQ | PASS |
| Acequinocyl | 0.05 | 0.05 | <LOQ | PASS | Deltamethrin | 1.00 | 1.00 | <LOQ | PASS |
| Acetamiprid | 0.10 | 0.10 | <LOQ | PASS | Diazinon | 0.02 | 0.02 | <LOQ | PASS |
| Aldicarb | 1.00 | 1.00 | <LOQ | PASS | Dichlorvos | 0.10 | 0.10 | <LOQ | PASS |
| Allethrin | 0.20 | 0.20 | <LOQ | PASS | Dimethoate | 0.02 | 0.02 | <LOQ | PASS |
| Azadirachtin | 1.00 | 1.00 | <LOQ | PASS | Dimethomorph | 0.05 | 0.05 | <LOQ | PASS |
| Azoxystrobin | 0.02 | 0.02 | <LOQ | PASS | Dinotefuran | 0.10 | 0.10 | <LOQ | PASS |
| Benzovindiflupyr | 0.02 | 0.02 | <LOQ | PASS | Dodemorph | 0.05 | 0.05 | <LOQ | PASS |
| Bifenazate | 0.05 | 0.05 | <LOQ | PASS | Endosulfan Sulfate | 0.50 | 0.50 | <LOQ | PASS |
| Bifenthrin | 1.00 | 1.00 | <LOQ | PASS | Endosulfan-alpha | 0.20 | 0.20 | <LOQ | PASS |
| Boscalid | 0.02 | 0.02 | <LOQ | PASS | Endosulfan-beta | 0.50 | 0.50 | <LOQ | PASS |
| Buprofezin | 0.02 | 0.02 | <LOQ | PASS | Ethoprophos | 0.02 | 0.02 | <LOQ | PASS |
| Carbaryl | 0.05 | 0.05 | <LOQ | PASS | Etofenprox | 0.05 | 0.05 | <LOQ | PASS |
| Carbofuran | 0.02 | 0.02 | <LOQ | PASS | Etoxazole | 0.02 | 0.02 | <LOQ | PASS |
| Chlorantraniliprole | 0.02 | 0.02 | <LOQ | PASS | Etridiazol | 0.03 | 0.03 | <LOQ | PASS |
| Chlorphenapyr | 0.10 | 0.10 | <LOQ | PASS | Fenoxycarb | 0.02 | 0.02 | <LOQ | PASS |
| Chlorpyrifos | 0.04 | 0.04 | <LOQ | PASS | Fenpyroximate | 0.02 | 0.02 | <LOQ | PASS |
| Clofentezine | 0.02 | 0.02 | <LOQ | PASS | Fensulfothion | 0.02 | 0.02 | <LOQ | PASS |
| Clothianidin | 0.05 | 0.05 | <LOQ | PASS | Fenthion | 0.02 | 0.02 | <LOQ | PASS |
| Coumaphos | 0.02 | 0.02 | <LOQ | PASS | Fenvalerate | 0.10 | 0.10 | <LOQ | PASS |
| Cyantranilipole | 0.02 | 0.02 | <LOQ | PASS | Fipronil | 0.06 | 0.06 | <LOQ | PASS |
| Cyfluthrin | 1.00 | 1.00 | <LOQ | PASS | Flonicamid | 0.05 | 0.05 | <LOQ | PASS |
| Cypermethrin | 1.00 | 1.00 | <LOQ | PASS | Fludioxonil | 0.02 | 0.02 | <LOQ | PASS |

PURA ANALYTICAL LABS

Method: LC-MS/MS Dual Ion Source. **Limits are set by Health Canada for Cannabis Concentrates.** PPM = Parts per Million; LOQ = Limit of Quantitation.

The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detectable, NR = Not Reported, NT = Not Tested

Pura Analytical Labs Inc.

Unit 1, 2984 Boys Road, DUNCAN, BC

(250) 929-2002 <https://www.puralabs.ca>

Health Canada Lic # LIC-LEHSCQIYN-2022



Denise Johnson

Head of Laboratory

This product has been tested by Pura Analytical Laboratories using valid testing methodologies and a quality system as required by Federal law. Values reported relate only to the product tested. Pura Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Pura Analytical Laboratories. Results are representative of the sample submitted by the client on the stated date.



Certificate of Analysis

Page | 5

P.O.L.

License: Personal use

Unit Size: 1 bottle 60 ml

Sample Received: 01/30/2024

Report Created: 02/22/2024

Sample: CALM Full Spectrum Organic CBD Oil 1200 mg

Sample Description: Organic Oil Blend

PESTICIDES

| Analyte | Permissible Limit | LOQ | Results | Status | Analyte | Permissible Limit | LOQ | Results | Status |
|------------------|-------------------|------|---------|--------|--------------------|-------------------|------|---------|--------|
| | ppm | ppm | ppm | | | ppm | ppm | ppm | |
| Fluopyram | 0.02 | 0.02 | <LOQ | PASS | Piperonyl Butoxide | 0.25 | 0.25 | <LOQ | PASS |
| Hexythiazox | 0.01 | 0.01 | <LOQ | PASS | Pirimicarb | 0.02 | 0.02 | <LOQ | PASS |
| Imazalil | 0.05 | 0.05 | <LOQ | PASS | Prallethrin | 0.05 | 0.05 | <LOQ | PASS |
| Imidacloprid | 0.02 | 0.02 | <LOQ | PASS | Propiconazole | 0.10 | 0.10 | <LOQ | PASS |
| Iprodione | 1.00 | 1.00 | <LOQ | PASS | Propoxur | 0.02 | 0.02 | <LOQ | PASS |
| Kinoprene | 0.50 | 0.50 | <LOQ | PASS | Pyraclostrobin | 0.02 | 0.02 | <LOQ | PASS |
| Kresoxim-methyl | 0.02 | 0.02 | <LOQ | PASS | Pyrethrins | 0.05 | 0.05 | <LOQ | PASS |
| Malathion | 0.02 | 0.02 | <LOQ | PASS | Pyridaben | 0.05 | 0.05 | <LOQ | PASS |
| Metalaxyl | 0.02 | 0.02 | <LOQ | PASS | Resmethrin | 0.10 | 0.10 | <LOQ | PASS |
| Methiocarb | 0.02 | 0.02 | <LOQ | PASS | Spinetoram | 0.02 | 0.02 | <LOQ | PASS |
| Methomyl | 0.05 | 0.05 | <LOQ | PASS | Spinosad | 0.10 | 0.10 | <LOQ | PASS |
| Methoprene | 2.00 | 2.00 | <LOQ | PASS | Spirodiclofen | 0.25 | 0.25 | <LOQ | PASS |
| Mevinphos | 0.05 | 0.05 | <LOQ | PASS | Spiromesifen | 3.00 | 3.00 | <LOQ | PASS |
| MGK-264 | 0.05 | 0.05 | <LOQ | PASS | Spirotetramat | 0.10 | 0.10 | <LOQ | PASS |
| Myclobutanil | 0.02 | 0.02 | <LOQ | PASS | Spiroxamine | 0.10 | 0.10 | <LOQ | PASS |
| Naled | 0.20 | 0.20 | <LOQ | PASS | Tebuconazole | 0.05 | 0.05 | <LOQ | PASS |
| Novaluron | 0.05 | 0.05 | <LOQ | PASS | Tebufenozide | 0.02 | 0.02 | <LOQ | PASS |
| Oxamyl | 3.00 | 3.00 | <LOQ | PASS | Teflubenzuron | 0.05 | 0.05 | <LOQ | PASS |
| Paclobutrazol | 0.02 | 0.02 | <LOQ | PASS | Tetramethrin | 0.10 | 0.10 | <LOQ | PASS |
| Parathion Methyl | 0.05 | 0.05 | <LOQ | PASS | Tetrachlorvinphos | 0.02 | 0.02 | <LOQ | PASS |
| PCNB | 0.02 | 0.02 | <LOQ | PASS | Thiacloprid | 0.02 | 0.02 | <LOQ | PASS |
| Permethrin | 0.50 | 0.50 | <LOQ | PASS | Thiamethoxam | 0.02 | 0.02 | <LOQ | PASS |
| Phenothrin | 0.05 | 0.05 | <LOQ | PASS | Thiophanate-Methyl | 0.05 | 0.05 | <LOQ | PASS |
| Phosmet | 0.02 | 0.02 | <LOQ | PASS | Trifloxystrobin | 0.02 | 0.02 | <LOQ | PASS |

PURA ANALYTICAL LABS

Method: LC-MS/MS Dual Ion Source. **Limits are set by Health Canada for Cannabis Concentrates.** PPM = Parts per Million; LOQ = Limit of Quantitation.

The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detectable, NR = Not Reported, NT = Not Tested

Pura Analytical Labs Inc.

Unit 1, 2984 Boys Road, DUNCAN, BC

(250) 929-2002 <https://www.puralabs.ca>

Health Canada Lic # LIC-LEHSCQIYN-2022

Denise Johnson
Head of Laboratory

This product has been tested by Pura Analytical Laboratories using valid testing methodologies and a quality system as required by Federal law. Values reported relate only to the product tested. Pura Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Pura Analytical Laboratories. Results are representative of the sample submitted by the client on the stated date.

P.O.L.

License: Personal use

Unit Size: 1 bottle 60 ml

Sample Received: 01/30/2024

Report Created: 02/22/2024

Sample: CALM Full Spectrum Organic CBD Oil 1200 mg
Sample Description: Organic Oil Blend

RESIDUAL SOLVENTS

| Analyte | Permissible Limit ppm | LOQ ppm | Result ppm | Status |
|-----------------------------|-----------------------|---------|------------|--------|
| Acetic acid | ≤ 5000 | 500 | <LOQ | PASS |
| Acetone | ≤ 5000 | 50 | <LOQ | PASS |
| Anisole | ≤ 5000 | 50 | <LOQ | PASS |
| 1-Butanol | ≤ 5000 | 50 | <LOQ | PASS |
| 2-Butanol | ≤ 5000 | 50 | <LOQ | PASS |
| Butane (sum of n- and iso-) | ≤ 5000 | 50 | <LOQ | PASS |
| Butyl acetate | ≤ 5000 | 50 | <LOQ | PASS |
| Tert-Butyl methyl ether | ≤ 5000 | 50 | <LOQ | PASS |
| Dimethyl sulfoxide | ≤ 5000 | 50 | <LOQ | PASS |
| Ethanol | ≤ 5000 | 50 | <LOQ | PASS |
| Ethyl acetate | ≤ 5000 | 50 | <LOQ | PASS |
| Ethyl ether | ≤ 5000 | 50 | <LOQ | PASS |
| Ethyl formate | ≤ 5000 | 50 | <LOQ | PASS |
| Formic acid | ≤ 5000 | 500 | <LOQ | PASS |
| Heptane | ≤ 5000 | 50 | <LOQ | PASS |
| Isobutyl acetate | ≤ 5000 | 50 | <LOQ | PASS |
| Isopropyl acetate | ≤ 5000 | 50 | <LOQ | PASS |
| Methyl acetate | ≤ 5000 | 50 | <LOQ | PASS |
| 3-Methyl-1-butanol | ≤ 5000 | 50 | <LOQ | PASS |
| Methyl ethyl ketone | ≤ 5000 | 50 | <LOQ | PASS |
| 2-Methyl-1-propanol | ≤ 5000 | 50 | <LOQ | PASS |
| Pentane | ≤ 5000 | 50 | <LOQ | PASS |
| 1-Pentanol | ≤ 5000 | 50 | <LOQ | PASS |
| 1-Propanol | ≤ 5000 | 50 | <LOQ | PASS |
| 2-Propanol (Isopropanol) | ≤ 5000 | 50 | <LOQ | PASS |
| Propane | ≤ 5000 | 50 | <LOQ | PASS |
| Propyl acetate | ≤ 5000 | 50 | <LOQ | PASS |
| Triethylamine | ≤ 5000 | 500 | <LOQ | PASS |

Method: GC-FID. Criteria: ICH guideline Q3C (R6) on impurities; guideline for residual solvents; Table 3, Class 3 Residual Solvents. LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Dete

Pura Analytical Labs Inc.

Unit 1, 2984 Boys Road, DUNCAN, BC

(250) 929-2002 <https://www.puralabs.ca>

Health Canada Lic # LIC-LEHSCQIYN-2022



Denise Johnson

Head of Laboratory

This product has been tested by Pura Analytical Laboratories using valid testing methodologies and a quality system as required by Federal law. Values reported relate only to the product tested. Pura Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Pura Analytical Laboratories. Results are representative of the sample submitted by the client on the stated date.